

## Subject Index to Volume 48 (2010)

	No.	Page		No.	Page
12-axis	5	519–529	Bus drivers	1	61–65
<b>A</b>			<b>C</b>		
Accident analysis	6	872–878	Call center	3	349–356
Activated carbon	1	52–60	Cardiovascular events	3	324–330
	4	427–437	Cardiovascular system	1	61–65
Adsorption capacity	1	52–60	Case-control study	6	818–823
	4	427–437	Caustic ulcers	2	215–216
Adverse event	6	775–782	Cement aqua	2	215–216
Aerosol	4	478–486	Cerium dioxide	1	3–11
Ageing	4	390–394	Circadian rhythms	4	395–405
Air pollution	3	317–323	Cognitive behavioral therapy	4	495–502
Airborne bacteria	2	236–243	Cohort studies	2	244–248
Airborne fungi	2	236–243	Cohort study	5	584–595
Aircraft lavatories	1	123–128	Color discrimination	4	438–446
Alveolar macrophage	1	3–11	Combined exposures	5	638–644
Alveolar macrophages	6	783–795	Commuting accidents	2	164–170
Alveolar wall thickening	6	783–795	Competencies	6	824–834
Ambient illumination	4	438–446	Comprehensibility	6	835–844
Apparent mass	5	615–627	Computer work	3	370–375
	5	654–662	Computer workers	6	818–823
	5	698–714	Construction workers	2	145–153
Asbestos fibers	1	38–42	Consultation team	6	749–757
Asbestosis and lung cancer	1	38–42	Contact area	5	538–549
Australia	2	244–248	Contact location	5	538–549
Averaging method	5	596–605	Continuous positive airway pressure treatment	4	511–516
Awkward posture	5	638–644			
<b>B</b>			Control banding	1	18–28
Back support	5	682–697	Controlled clinical trial	6	758–765
Backrest	5	538–549	Cost of occupational health	3	275–282
Backrests	5	654–662	Creatinine	2	154–163
Bhopal gas tragedy	2	204–208	Cross-axis apparent mass	5	615–627
Bile acid transporter	1	96–107	Cross-modal matching	5	519–529
Bioaerosols	3	365–369	Cross-sectional study	3	283–291
Biodynamic response	5	596–605		6	864–871
Biodynamic responses	5	557–564	Cross-sectional survey	2	231–235
Biodynamics	5	565–583	Culture	4	406–415
	5	615–627	<b>D</b>		
	5	654–662	Daily vibration exposure	5	584–595
Biomarkers	2	204–208	Delphi technique	6	824–834
Blood lead	1	61–65	Demand-control model	6	845–851
Blood pressure	1	12–17	Density equalizing	2	197–203
Body composition	4	487–494	Dental care costs	6	857–863
Body mass index	3	256–264	Depression	2	178–184
Body posture	5	538–549	Diabetes	6	857–863
Breakthrough time	1	52–60	Diesel exposure	3	317–323
	4	427–437	Disabled workers	3	292–295
Brief hourly exercise	4	470–477	Discomfort	5	519–529

	No.	Page
	5	715–724
Disease	2	209–214
Dominant frequency	5	715–724
Dose characterization	4	452–459
Dual-axis excitation	5	615–627
Dynamic light scattering	4	452–459
Dynamic response	5	663–674
<b>E</b>		
Early morning	4	470–477
EDM	4	478–486
Effect	4	416–426
Electricians	1	29–37
Empirical models	5	628–637
Environment	3	292–295
Environmental monitoring	6	749–757
Epidemiology	2	244–248
	3	317–323
	4	447–451
Equivalent comfort contour	5	538–549
Ethylene oxide	6	749–757
Exfoliated cells	6	852–856
Expanded perlite	1	119–122
Exposed workers	3	365–369
Exposure	2	244–248
<b>F</b>		
Factory workers	4	503–510
Fatigue	4	406–415
	5	550–556
Fibrosis	6	783–795
Filtration efficiency	3	296–304
Finance	3	292–295
Finite element modeling	5	557–564
Fire hazard	4	478–486
Flexion	5	550–556
Flow visualization	1	43–51
Follow-up	4	487–494
Follow-up survey	6	845–851
Font type	5	675–681
Food processing worker	3	283–291
Frequency weighting	5	725–742
<b>G</b>		
Gas filter	1	52–60
Gender differences	3	339–348
General hospital	2	236–243
Genotoxicity	6	852–856
GHS	6	835–844
Glove temperature	2	135–144
Graded exercise testing	1	12–17
Granuloma	1	3–11
	6	783–795

	No.	Page
<b>H</b>		
Hands support	5	682–697
Hazard communication	6	835–844
HAZOP	4	478–486
Health	5	519–529
	6	804–810
Health and working conditions	2	222–230
Health behavior	4	395–405
Health complaints	3	349–356
Health examination	4	447–451
Health hazard	4	478–486
Health hazard evaluation	1	123–128
Health promotion	3	275–282
Health-promoting lifestyle	3	256–264
Heart rate	1	12–17
Heart rate variability	3	331–338
Hepatobiliary injury	1	96–107
Hierarchical loglinear models	6	872–878
Hippuric acid	2	154–163
Histopathology	1	96–107
Home demands	6	766–774
Hospital environment	2	217–221
Human waste exposure	1	123–128
Hydroxylated-PCB	1	115–118
<b>I</b>		
Identification	5	530–537
Illuminant color	4	438–446
Immigrant workers	2	231–235
Immunotoxicity	2	204–208
Impacts	5	530–537
Impaired fasting glucose	6	857–863
<i>in vitro</i>	5	550–556
Incoming call	3	349–356
INDUSTRIAL HEALTH	2	197–203
Industrial machine	4	460–469
Industrial workplace	6	835–844
Industry association	6	749–757
Inflammation	1	3–11
	2	204–208
Information technology company	6	758–765
Insomnia	2	178–184
Integrated health management	3	251–255
Intentions to leave	3	305–316
Intervention	4	390–394
Iron	4	452–459
ISO 2631-1	5	519–529
<b>J</b>		
Japan	1	85–95
Job content questionnaire	3	331–338
Job demand	1	12–17
Job demands	6	766–774

	No.	Page
Job performance	6	845–851
Job readiness	3	305–316
Job strain	4	503–510
Job stress	3	331–338
	6	845–851
Job stress factors	2	178–184
Job stressors	3	305–316
Job-related risks	3	365–369
<b>K</b>		
Kitchen work	2	135–144
Korea	2	236–243
<b>L</b>		
Laboratory experiment	5	725–742
Laboratory fume hood	1	43–51
Leanness	4	487–494
Lifestyle	3	292–295
Lifting	2	145–153
Lighting	2	222–230
Linear regression	5	628–637
Lockout	4	460–469
Logistic regression	6	864–871
Long term monitoring	5	606–614
Longitudinal	2	209–214
Longitudinal study	6	857–863
Low back belt	6	796–803
Low back moment	6	796–803
Low back pain	3	283–291
	5	584–595
Lumbar and thoracic vibration	5	682–697
Lumbar spine	5	550–556
<b>M</b>		
Magnitude	5	654–662
Maintenance work	4	460–469
Malaysia	6	824–834
	6	835–844
Malic enzyme	1	115–118
Manufacturing enterprises	2	185–196
Manufacturing industry	6	749–757
Measurement variability	5	606–614
Medical care costs	6	857–863
Medical error	3	357–364
Medical errors	6	811–817
Mental health	4	495–502
	6	811–817
Metabolic syndrome	4	487–494
Metal impurities	4	452–459
Methyl isocyanate	2	204–208
Micronucleus	6	852–856
Microorganisms	3	365–369
Middle-aged subjects	4	447–451
Midwifery	4	381–389

	No.	Page
Migrant worker	3	283–291
Mining	4	406–415
Modeling of whole-body vibration exposure	5	596–605
Modelling	5	654–662
Moisture adsorption	1	52–60
	4	427–437
Mood	4	381–389
Motion analysis	6	796–803
MSDs	3	339–348
Multinucleated cell	6	783–795
Multiwall carbon nanotube	4	452–459
	6	783–795
Muscle forces	5	557–564
Musculoskeletal disorders	2	145–153
Musculoskeletal symptoms	1	74–84
Myocardial infarction	3	324–330
Myocardial oxygen consumption	1	12–17
<b>N</b>		
Nanoparticle	3	296–304
Native promoter	1	115–118
Near miss	6	775–782
Neck muscle electromyography	2	145–153
Needlestick and sharps injuries	1	85–95
Neutrophils	6	783–795
Newly graduated nurses	3	305–316
Night work	4	470–477
Noise	2	222–230
Nonlinear multi-body model	5	663–674
Non-specific work-related upper limb disorders	6	818–823
Nurse	1	85–95
	3	357–364
	6	775–782
	6	811–817
	6	864–871
<b>O</b>		
Obesity	4	487–494
	4	511–516
Objective discomfort	5	645–653
Obstructive sleep apnea hypopnea syndrome	4	511–516
Occupation	3	256–264
Occupational	2	244–248
Occupational class	3	324–330
Occupational exposure	2	217–221
	6	852–856
Occupational health	1	123–128
	2	197–203
	4	395–405
	4	503–510
Occupational health and safety management system	1	18–28

	No.	Page
Occupational health and safety service	2	231–235
Occupational injury	2	215–216
Occupational low back pain	3	370–375
Occupational monitoring	1	38–42
Occupational risk management	1	18–28
Occupational safety and health	6	824–834
Odds ratio	6	872–878
Operation room nurses	1	74–84
Organic vapors	1	52–60
	4	427–437
Organizational justice	1	66–73
Outgoing call	3	349–356
<b>P</b>		
Pain catastrophizing	6	818–823
Participatory	1	18–28
Participatory ergonomics	3	370–375
Particles	1	3–11
Particulate matter	2	222–230
Patient transfer	6	796–803
Peracetic acid	2	217–221
Perceived busyness	3	256–264
Perceived demands	1	74–84
Perceived job stress	3	349–356
Perfluorooctanoic acid	1	96–107
Peroxisome proliferator-activated receptor- $\alpha$	1	96–107
Petrol pump workers	6	852–856
Physical fitness	6	818–823
Posture	5	654–662
Predictor	6	775–782
Presenteesim	3	251–255
Prevalence	1	85–95
Prevention	3	370–375
	5	550–556
Prevention strategies	2	164–170
Process evaluation	3	265–274
Productivity	3	251–255
Professional drivers	5	584–595
	5	606–614
Prospective	2	209–214
Prospective cohort study	3	357–364
	6	775–782
Prospective study	3	324–330
Provocation test	1	119–122
Psychological distress	6	766–774
Psychological well-being	3	265–274
Psychosocial factors	1	74–84
Psychosocial stresses	3	339–348
Psychosocial work factor	4	503–510
Psychosocial working environment	3	251–255
Public facility workers	2	171–177
Pulmonary alveolar proteinosis	1	3–11

	No.	Page
<b>Q</b>		
Qualitative risk assessment	1	18–28
Questionnaire	1	29–37
	2	231–235
	3	349–356
<b>R</b>		
Radar chart	2	197–203
Random vibration	5	675–681
Rate pressure product	1	12–17
Reactive airway dysfunction	1	119–122
Reading activity	5	675–681
Reading difficulty	5	675–681
Recovery	4	390–394
Reliability	1	66–73
Remote	4	406–415
Respirator	1	52–60
	3	296–304
Respiratory allergy	2	171–177
Risk	1	85–95
	4	406–415
Risk assessment	1	38–42
	2	217–221
Risk criteria	1	38–42
Risk factor	1	61–65
	4	447–451
	4	487–494
Risk factors	2	164–170
Risk level approach	1	18–28
Road safety	2	164–170
Rotational	5	519–529
Rubber glove	4	503–510
Rubber tapper	3	275–282
<b>S</b>		
Safety	3	292–295
Safety climate	1	85–95
Safety confirmation	4	460–469
Scientometry	2	197–203
Screen background color	4	438–446
SDPTG	1	61–65
Seat vibration	5	530–537
Seated occupants	5	698–714
Seated-body vibration	5	557–564
Seating configuration	5	645–653
Seats	5	654–662
Seat-to-head transmissibilities	5	565–583
Seat-to-head transmissibility	5	663–674
Seat-to-head vibration	5	682–697
Seat-to-head-transmissibility	5	698–714
Self-reports	6	804–810
SEM	4	452–459
Shift length	4	395–405

	No.	Page		No.	Page
Shift work	4	381–389	Three-shift system	3	357–364
	4	390–394	Time histories	5	530–537
	4	395–405	Toll collectors	3	317–323
	6	804–810	Toluene	2	154–163
	6	811–817	Toolbox	1	18–28
Shocks	5	530–537	TR	1	115–118
Shoulder and scapular muscles	1	108–114	Tracer gas test	1	43–51
Simulation	1	119–122	Transcriptional regulation	1	115–118
Single and dual axis horizontal vibration	5	698–714	Transfer board	6	796–803
Sitting posture	5	645–653	Transition model	5	584–595
Size distribution	2	236–243	Trapped key interlock	4	460–469
	4	452–459	Truck drivers	5	628–637
Skin prick test	2	171–177	Turbulence	1	43–51
Sleep	4	381–389	Two-shift system	3	357–364
	4	406–415	Type II cell hyperplasia	6	783–795
Sleep hygiene education	6	758–765	<b>U</b>		
Sleep problems	6	811–817	Unate	4	460–469
	6	864–871	Underground coal mining	6	872–878
Sleepiness	6	758–765	Urinary catecholamine	3	331–338
Small and medium-sized enterprises (SMEs)	2	231–235	Urine density correction	2	154–163
Small-scale enterprises	2	185–196	<b>V</b>		
Social support	6	845–851	Validity	1	66–73
Solid phase microextraction	2	217–221	Valpar component work samples	1	108–114
Specific gravity	2	154–163	Vibration	5	550–556
Spill	1	119–122	Vibration exposure assessment	5	628–637
Spillover	6	766–774	Vibration exposure prediction	5	628–637
Spinal loads	5	557–564	Viscoelastic foam model	5	663–674
Statistical analysis	5	628–637	Visual display terminal	4	438–446
Stress management	3	265–274	<b>W</b>		
Stroke	3	324–330	Waist circumference	4	447–451
Structural equation modeling	6	766–774	WBGT	2	135–144
Subjective discomfort	5	645–653	Weaving industry	3	339–348
Subjective health status	3	305–316	Web	3	265–274
Subjective judgement	5	725–742	Weight loss	4	511–516
Subjective judgment scales	2	135–144	Wheeler-Jonas equation	4	427–437
Subjective musculoskeletal symptoms	1	29–37	White-collar workers	4	495–502
Subjective thermal strain	2	135–144	Whole-body vibration	5	519–529
Subway	5	715–724		5	538–549
Suicide prevention program	4	416–426		5	565–583
Summer	1	29–37		5	584–595
Suspension seat	5	715–724		5	596–605
Sustained attention	4	470–477		5	606–614
Systematic work environment management	2	185–196		5	628–637
<b>T</b>				5	638–644
Technological change	3	370–375		5	645–653
Teleworking	3	292–295		5	654–662
Testing standard	3	296–304		5	663–674
Th2 hyperreactivity	2	171–177		5	682–697
Thailand	4	503–510		5	715–724
The Athens Insomnia Scale	2	178–184	Whole-body vibrations	5	725–742
Thermal rebound	3	296–304	Winter	1	29–37

	No.	Page
Wood dust	2	222–230
Word chain	5	675–681
Work environment	2	185–196
Work hours	6	804–810
Work inability	2	164–170
Work performance	4	470–477
Work schedule intolerance	4	395–405
Work stressors	3	339–348
Workaholism	6	864–871
Workers	6	758–765
Work-family conflict	6	766–774

	No.	Page
Working condition	3	283–291
Workload	4	381–389
Workplace	2	231–235
	4	416–426
	4	495–502
Workplace health promotion	3	251–255
	3	256–264
Work-related accident	3	275–282
Wrist-extension orthosis	1	108–114
<b>Z</b>		
ZMS	4	460–469