

Subject Index to Volume 59 (2021)

| | No. | Page |
|-------------------------------|-----|---------|
| 0-9 | | |
| 1-bromopropane | 4 | 239–248 |
| 2-Ethyl-1-hexanol | 6 | 383–392 |
| 8-OHdG | 6 | 403–414 |
| A | | |
| Accessibility | 5 | 334–339 |
| Air sampling | 6 | 415–426 |
| Airborne silica | 6 | 415–426 |
| Anti-flash hoods | 4 | 204–219 |
| Army | 6 | 403–414 |
| Asbestos | 6 | 436–448 |
| Asbestos containing materials | 6 | 436–448 |
| Automotive assembly | 1 | 43–53 |
| Autonomic nervous activity | 2 | 128–141 |
| Autonomy | 5 | 285–292 |
| B | | |
| Basic insulation | 1 | 27–33 |
| Bromide | 4 | 239–248 |
| Burden | 3 | 146–160 |
| Burnout | 6 | 427–435 |
| Burnout syndrome | 2 | 117–127 |
| C | | |
| Calculation method | 2 | 107–116 |
| Care equipment | 4 | 260–271 |
| Care facility | 4 | 260–271 |
| Care worker | 3 | 171–179 |
| Caregiver | 4 | 260–271 |
| Chemical management | 5 | 298–307 |
| Children asbestos exposure | 6 | 436–448 |
| China | 6 | 427–435 |
| Chronic pain | 2 | 78–85 |
| Clothing basic insulation | 2 | 107–116 |
| Clothing systems | 2 | 107–116 |
| Cognitive irritation | 5 | 308–317 |
| Common mental disorders | 3 | 180–192 |
| Comparative evaluation | 2 | 107–116 |
| Compliance approach | 5 | 298–307 |
| Construction industry | 3 | 193–200 |
| Core body temperature | 5 | 325–333 |
| COVID-19 | 5 | 293–297 |
| COVID-19 | 5 | 318–324 |

| | No. | Page |
|---|-----|---------|
| COVID-19 | 5 | 334–339 |
| D | | |
| DEE | 6 | 403–414 |
| Diesel engine exhaust | 6 | 403–414 |
| Driver suicide | 1 | 34–42 |
| E | | |
| Early intervention mechanism | 1 | 4–17 |
| Earmuffs | 4 | 204–219 |
| Elastomeric half face-piece respirators | 4 | 272–282 |
| Electrocution | 1 | 4–17 |
| Electrospinning | 6 | 415–426 |
| Emergency care | 2 | 117–127 |
| Emergency physicians | 2 | 99–106 |
| Employment | 4 | 249–259 |
| Ergonomics | 2 | 78–85 |
| Evaporative heat loss | 5 | 325–333 |
| F | | |
| Fatigue | 5 | 325–333 |
| Filtration | 6 | 415–426 |
| Fixed day shift | 2 | 66–77 |
| Focus group interview | 2 | 128–141 |
| Friable materials | 6 | 436–448 |
| G | | |
| Garment item | 1 | 27–33 |
| Gastrointestinal problems | 2 | 66–77 |
| Globally Harmonized System of Classification and Labelling of Chemicals (GHS) | 5 | 298–307 |
| Groupism | 5 | 293–297 |
| H | | |
| Health literacy | 3 | 171–179 |
| Health personnel | 6 | 371–382 |
| Healthcare | 2 | 86–98 |
| Hearing protection | 4 | 204–219 |
| Heat extraction | 3 | 161–170 |
| Heat load | 5 | 325–333 |
| Hepatic enlargement | 6 | 383–392 |
| High-demanding jobs | 1 | 43–53 |
| Hippocampal slice | 4 | 239–248 |
| Hoods | 4 | 204–219 |
| Hyperthermia | 3 | 161–170 |
| Hyperthermia | 5 | 325–333 |

| | No. | Page |
|--|-----|---------|
| Hypnotics | 2 | 99–106 |
| I | | |
| Industrial Health | 6 | 343–370 |
| Industry workers | 3 | 193–200 |
| Inflammatory markers | 2 | 128–141 |
| Inhalation exposure | 6 | 383–392 |
| Injuries at work | 1 | 34–42 |
| Insertion loss | 4 | 204–219 |
| Insomnia | 2 | 86–98 |
| Insomnia | 2 | 99–106 |
| Inspection stations for electric tools | 1 | 4–17 |
| ISO/IEC Guide 51: 2014 | 5 | 318–324 |
| Isoamyl Acetate (IAA) challenge agent | 4 | 272–282 |
| J | | |
| Japan | 5 | 298–307 |
| Job stress | 2 | 128–141 |
| Job stress | 4 | 229–238 |
| L | | |
| Length of hospital stay | 1 | 18–26 |
| Lipid droplet | 6 | 383–392 |
| Low back pain | 1 | 54–62 |
| Low-back pain | 4 | 260–271 |
| M | | |
| Mediator | 4 | 229–238 |
| Melatonin suppression | 6 | 393–402 |
| Mental health | 2 | 117–127 |
| Meta-analysis | 2 | 66–77 |
| Migrant workers | 3 | 193–200 |
| Military Worker | 6 | 403–414 |
| Mindfulness | 2 | 86–98 |
| Mining | 6 | 343–370 |
| Modelling | 1 | 27–33 |
| Moderation | 4 | 249–259 |
| Motor-vehicle crashes | 1 | 34–42 |
| Musculoskeletal disorders | 2 | 78–85 |
| Musculoskeletal symptoms | 1 | 43–53 |
| N | | |
| Nanofiber web | 6 | 415–426 |
| Networking | 5 | 334–339 |
| Neurotoxicity | 4 | 239–248 |
| Night work | 6 | 393–402 |
| Nighttime nap | 6 | 393–402 |
| No-lift policy | 4 | 260–271 |
| Noncommunicable disease (NCD) | 3 | 146–160 |
| Non-fatal occupational accident | 3 | 193–200 |

| | No. | Page |
|---|-----|---------|
| Nurse | 3 | 171–179 |
| Nurses | 2 | 86–98 |
| Nurses | 2 | 128–141 |
| O | | |
| Occupational health | 1 | 18–26 |
| Occupational health | 1 | 43–53 |
| Occupational health | 4 | 220–228 |
| Occupational health | 6 | 343–370 |
| Occupational health | 6 | 371–382 |
| Occupational injury | 3 | 193–200 |
| Occupational risk | 6 | 343–370 |
| Online sleep intervention | 2 | 86–98 |
| Optimal clothing selection | 1 | 27–33 |
| Organic vapor cartridges | 4 | 272–282 |
| Oxidative stress | 6 | 403–414 |
| P | | |
| Participatory workplace improvement program | 2 | 128–141 |
| Passive cooling | 3 | 161–170 |
| Pentylentetrazole | 4 | 239–248 |
| Perceived need for an intervention | 2 | 86–98 |
| Perceived privacy | 5 | 308–317 |
| Peroxisome proliferator-activated receptor alpha (PPAR α) | 6 | 383–392 |
| Personal satisfaction | 6 | 371–382 |
| Physical function | 1 | 54–62 |
| Physical symptoms | 4 | 220–228 |
| Planning needs | 5 | 334–339 |
| Portable electrical tools | 1 | 4–17 |
| Post-exercise cooling | 3 | 161–170 |
| Posttraumatic stress disorder (PTSD) | 1 | 34–42 |
| Prenatal exposure | 4 | 239–248 |
| Prevalence | 2 | 99–106 |
| Prevention through design | 1 | 4–17 |
| Promotion of health and employment support | 1 | 18–26 |
| Protective clothing | 1 | 27–33 |
| Psychiatric nurse | 6 | 427–435 |
| Psychological distress | 6 | 427–435 |
| Psychosocial factors | 1 | 54–62 |
| PVC filter | 6 | 415–426 |
| Q | | |
| Qualitative fit testing | 4 | 272–282 |
| Questionnaire | 6 | 371–382 |
| R | | |
| Randomized controlled trial | 2 | 78–85 |
| Red Cross | 2 | 117–127 |

| | No. | Page | | No. | Page |
|-------------------------------|-----|---------|---|-----|---------|
| Resilience | 3 | 180–192 | Telework | 5 | 308–317 |
| Respiration | 5 | 325–333 | The “New Normal” | 5 | 318–324 |
| Respirator brand | 4 | 272–282 | Thermal comfort | 1 | 27–33 |
| Respiratory resistance | 5 | 325–333 | Three-step method and protective measures | 5 | 318–324 |
| Return to work | 1 | 18–26 | Trends | 5 | 285–292 |
| Return to work self-efficacy | 3 | 180–192 | V | | |
| Risk factors | 2 | 99–106 | Vigilance performance | 6 | 393–402 |
| Risk factors | 3 | 146–160 | Vinyl floor | 6 | 436–448 |
| Risk-based | 5 | 293–297 | Violent suicide | 1 | 34–42 |
| Rotating shift | 2 | 66–77 | Virtual Conference | 5 | 334–339 |
| Rumination | 4 | 220–228 | Volatile organic compound (VOC) | 6 | 383–392 |
| S | | | Volunteers | 2 | 117–127 |
| Safety management | 5 | 293–297 | Voting | 2 | 128–141 |
| Safety of machinery | 5 | 318–324 | W | | |
| Schools | 6 | 436–448 | Way of working | 5 | 293–297 |
| Scientific community | 5 | 334–339 | Well-being | 4 | 249–259 |
| Self-destruction | 1 | 34–42 | Women | 3 | 146–160 |
| Self-employed | 4 | 249–259 | Work intensity | 5 | 285–292 |
| Self-regulation | 5 | 298–307 | Worker | 2 | 66–77 |
| SEM analysis | 6 | 436–448 | Worker’s health | 2 | 78–85 |
| Shift work | 5 | 285–292 | Workers | 1 | 18–26 |
| Sick leave | 3 | 180–192 | Workers | 4 | 229–238 |
| Skin temperature | 5 | 325–333 | Workers Health | 6 | 343–370 |
| Sleep problems | 5 | 308–317 | Working | 3 | 146–160 |
| Sleep quality | 6 | 427–435 | Working from home | 5 | 308–317 |
| Sleep reactivity | 4 | 229–238 | Working hour | 4 | 249–259 |
| Small business | 5 | 298–307 | Working hours | 3 | 146–160 |
| Social stressors | 4 | 220–228 | Working hours | 5 | 285–292 |
| Social system | 5 | 293–297 | Working life | 3 | 171–179 |
| Social work | 4 | 220–228 | Working life | 5 | 285–292 |
| Sound attenuation | 4 | 204–219 | Working time | 5 | 285–292 |
| Special needs school | 1 | 54–62 | Working women | 6 | 371–382 |
| Staff members | 1 | 54–62 | Workplace bullying | 3 | 180–192 |
| Standard method | 1 | 27–33 | Workplace health | 6 | 343–370 |
| Standards | 2 | 107–116 | Work-related upper limb musculoskeletal disorders (WRULMSD) | 1 | 43–53 |
| STarT Back Tool | 1 | 54–62 | Y | | |
| Subjective cognitive function | 4 | 229–238 | Young workers | 3 | 171–179 |
| Subjective sleepiness | 6 | 393–402 | Z | | |
| SWOT Analysis | 5 | 334–339 | Zero risk | 5 | 293–297 |
| T | | | | | |